Docket No.: 13111-00022-US

AMENDMENT TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application.

Claim 36 is canceled without prejudice or disclaimer.

Listing of Claims:

- 1-28. (Cancelled)
- 29. (Currently Amended) A process for the preparation of a polyether-urethane comprising at least one allyl group which comprises, in incorporated form,
- a) at least one polyether which comprises a group reactive toward isocyanate groups, and an allyl group,
- b) optionally at least one compound which comprises at least two group groups reactive toward isocyanate groups, and
- c) at least one polyisocyanate,

and in which

- in a first stage the compounds a), optionally some at least one of the compounds b) and at least some one of the polyisocyanates c) are reacted without the addition of a solvent, at a temperature of at least 60°C and at a ratio of isocyanate group equivalents to equivalents of groups reactive toward isocyanate groups in a range from 1.5:1 to 2.2:1, to give an isocyanate group-comprising prepolymer, and
- ii) in a second stage the prepolymer obtained in step i) is reacted with the compounds b) and c) not already used in step i) to give the polyether-urethane.
- 30. (Currently amended) A process as claimed in claim 29, in which, in stage i), a prepolymer with a glass transition temperature T_G of at most 100° C, preferably of at most 60° C, 100° C is obtained.

Application No. 10/538,760

Amendment dated May 5, 2008

Docket No.: 13111-00022-US

Reply to Office Action of December 13, 2007

31. (Previously Presented) A process as claimed in claim 30, in which the reaction in step i) takes place at a temperature which is higher than the glass transition temperature of the prepolymer.

- 32. (Previously Presented) A process as claimed in claim 29, in which the compounds b) used in step ii) have hydroxyl groups as groups reactive toward isocyanate groups, and the reaction takes place without the addition of a solvent.
- 33. (Previously Presented) A process as claimed in claim 29, in which the compounds b) used in step ii) have primary or secondary amino groups as groups reactive toward isocyanate groups, and the reaction takes place in the presence of a protic-polar solvent.
- 34. (Currently Amended) The use of a A hair treatment composition comprising water-soluble or water-dispersible polymer which comprises at least one free-radically polymerizable compound which has at least one α,β-ethylenically unsaturated double bond and at least a polyether-urethane in copolymerized form, where the polyether-urethane comprises at least one allyl group, and, in incorporated form,
 - a) at least one polyether which comprises a group reactive toward isocyanate groups, and an allyl group,
 - b) optionally at least one compound which comprises at least two groups reactive toward isocyanate groups, and
 - c) at least one polyisocyanate,
 as setting agent and/or as conditioner in hair treatment
 compositions.conditioner.
- 35. (Currently Amended) The use hair treatment composition as claimed in claim 34, where the composition is in the form of a hair gel, hair mousse, shampoo, setting foam, hair tonic, hair spray or hair foam.
 - 36. (Canceled)

- 37. (Previously Presented) A polyether-urethane comprising at least one allyl group, which comprises, in incorporated form,
 - a) at least one polyether which comprises a group reactive toward isocyanate groups, and an allyl group,
 - b) at least one compound which comprises at least two groups reactive toward isocyanate groups, chosen from compounds b3) with a number-average molecular weight of more than 280 which contain at least two active hydrogen atoms and at least one siloxane group per molecule, and
 - c) at least one polyisocyanate.
- 38. (Currently Amended) A polyether-urethane as claimed in claim 37, which comprises, in incorporated form, at least one compound b3) chosen from:

-polysiloxanes of the formula I.1

$$\frac{z^{1} - (CH_{2})_{a}}{R^{2}} = \begin{bmatrix}
R^{1} & & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& &$$

$$Z^{1} \longrightarrow (CH_{2})_{a} \longrightarrow \begin{bmatrix} R^{1} \\ | \\ | \\ | \\ R^{2} \end{bmatrix} \xrightarrow{Si} \longrightarrow (CH_{2})_{b} \longrightarrow Z^{2}$$

$$(I.1)$$

in which

a and b, independently of one another, are 1 to 8,

c is 2 to 100,

R¹ and R², independently of one another, are C₁-C₈-alkyl, benzyl or phenyl,

 Z^1 and Z^2 , independently of one another, are OH, NHR³ or a radical of the formula II

oer 15, 2007

Docket No.: 13111-00022-US

 $(\Pi),$

where

in the formula II the order of the alkylene oxide units is arbitrarycan be in any order, and

-(CH₂CH₂O)_v (CH₂CH(CH₃)O)_w-H

v and w, independently of one another, are an integer from 0 to 200, where the sum of v and w is >0,

R³ is hydrogen, C₁-C₈-alkyl or C₅-C₈-cycloalkyl;

-polysiloxanes of the formula 1.2.1.2

$$R^{4} \longrightarrow \stackrel{R^{4}}{\underset{R^{4}}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}{\bigvee}} O \left[\begin{array}{c} R^{4} \\ \\ \end{array} \right] \stackrel{R^{4}}{\underset{C}$$

in which

the order of the siloxane units is arbitrary, can be in any order,

the radicals R⁴ are each, independently of one another, C₁-C₈-alkyl, preferably methyl, benzyl or phenyl,

d is an integer from 5 to 1000,

e is an integer from 2 to 100,

f is an integer from 2 to 8,

Z³ is OH, NHR³, where R³ is as defined above, or a radical of the formula III

$$-(OCH_2CH_2)_x (OCH(CH_3)CH_2)_y-OH$$
 (III)

where

in the formula III the order of the alkylene oxide units is arbitrary, can be in any order.

x and y, independently of one another, are an integer from 0 to 200, where the sum of x and y is >0,

and mixtures thereof.

Application No. 10/538,760 Docket No.: 13111-00022-US Amendment dated May 5, 2008

Reply to Office Action of December 13, 2007

39. (Previously Presented) A water-soluble or water-dispersible polymer which comprises, in copolymerized form, at least one polyether-urethane as defined in claim 37, and at least one free-radically polymerizable compound which has at least one α,β -ethylenically unsaturated double bond.

- 40. (Previously Presented) A polymer as claimed in claim 39, which comprises, in copolymerized form, at least one free-radically polymerizable hydrophilic nonionic compound M1).
- 41. (Previously Presented) A polymer as claimed in claim 40, where the compound M1) is chosen from primary amides of α,β -ethylenically unsaturated monocarboxylic acids, N-vinyllactams, N-vinylamides of saturated monocarboxylic acids with C2-C4-alkanediols, amides of α,β -ethylenically unsaturated mono- and dicarboxylic acids with C2-C4-aminoalcohols which have a primary or secondary amino group, vinyl ethers, nonionic, hydrophilic vinyl- and allyl-substituted heterocyclic compounds and mixtures thereof.
- 42. (Previously Presented) A polymer as claimed in claim 41, which comprises, in copolymerized form, a compound M1) chosen from acrylamide, methacrylamide, N-vinylpyrrolidone, N-vinylcaprolactam, N-vinylformamide, N-vinylacetamide and mixtures thereof.
- 43. (Previously Presented) A polymer as claimed in claim 40, which additionally comprises, in copolymerized form, at least one free-radically polymerizable compound M2) with an α,β-ethylenically unsaturated double bond and at least one ionogenic and/or ionic group per molecule.
- 44. (Previously Presented) A polymer as claimed in claim 40, which additionally comprises, in copolymerized form, at least one free-radically polymerizable crosslinking compound with at least two α,β -ethylenically unsaturated double bonds per molecule.

Application No. 10/538,760 Docket No.: 13111-00022-US Amendment dated May 5, 2008

Reply to Office Action of December 13, 2007

45. (Currently Amended) A polymer as claimed in claim 40, which is obtainable obtained by free-radical copolymerization in the presence of a component d) chosen from

- dl) polyether-containing compounds,
- d2) polymers which have at least 50% by weight of repeat units derived from vinyl alcohol,
- d3) starch and starch derivatives, and mixtures thereof.
- 46. (Currently Amended) A polymer as claimed in claim 40, obtainable obtained by free-radical polymerization of
 - 1 to 25% weight, based on the total weight of the components used for the polymerization, of at least one polyallyl-polyether-urethane,
 - 50 to 99% by weight of at least one free-radically polymerizable nonionic compound M1),
 - o to 25% by weight of at least one monomer M2) with at least one ionogenic and/or ionic group per molecule,
 - 0 to 10% by weight of at least one crosslinker, optionally in the presence of up to 25% by weight of at least one component d), as defined in claim 10.45.
- 47. (Previously Presented) A process for the preparation of a polymer as defined in claim 40 by free-radical polymerization in an aqueous solvent at a pH of from 5.5 to 8.0.
- 48. (Previously Presented) A process as claimed in claim 47, comprising a first polymerization step and a subsequent second polymerization step, where the reaction mixture between the first and second polymerization step is subjected to stripping with steam or to a steam distillation.

Application No. 10/538,760
Amendment dated May 5, 2008

Docket No.: 13111-00022-US

Reply to Office Action of December 13, 2007

49. (Currently Amended) A cosmetic or pharmaceutical composition comprising

- A) at least one water-soluble or water-dispersible polymer as defined in claim 39, and
- B) at least one cosmetically or pharmaceutically acceptable carrier.
- 50. (Currently Amended) A composition as claimed in claim 49, where the component B) is chosen from
 - i) water,
 - ii) water-miscible organic solvents, preferably C₄-C₄-alkanols,
 - iii) oils, fats, waxes,
 - iv) esters of C₆-C₃₀-monocarboxylic acids with mono-, di- or trihydric alcohols which are different from iii),
 - v) saturated acyclic and cyclic hydrocarbons,
 - vi) fatty acids,
 - vii) fatty alcohols

and mixtures thereof.

- 51. (Previously Presented) A composition as claimed in claim 49, further comprising at least on constituent different from copolymer A which is chosen form cosmetically active ingredients, emulsifiers, surfactants, preservatives, perfume oils, thickeners, hair polymers, hair and skin conditioners, graft polymers, water-soluble or dispersible silicone-containing polymers, light protection agents, bleaches, gel formers, care agents, colorants, tints, tanning agents, dyes, pigments, bodying agents, humectants, refatting agents, collagen, protein hydrolysates, lipids, antioxidants, antifoams, antistats, emollients, and softeners.
- 52. (Previously Presented) A composition as claimed in claim 49 in the form of a solution, a gel, wax, foam, spray, an ointment, cream, emulsion, suspension, lotion, milk or paste.

Application No. 10/538,760 Amendment dated May 5, 2008 Reply to Office Action of December 13, 2007

53. (Currently Amended) The use of a A cosmetic or pharmaceutical composition comprising a polymer as defined in claim 39 in skin cleansing compositions, compositions for the care and protection of the skin, nail care compositions, preparations for decorative cosmetics and hair treatment compositions.

Docket No.: 13111-00022-US

- 54. (Currently Amended) The <u>use cosmetic or pharmaceutical composition</u> as claimed in claim 53 in hair treatment compositions as thickener, setting agent and/or as conditioner.
- 55. (Currently Amended) The use method cosmetic or pharmaceutical composition as claimed in claim 54, where the composition is in the form of a hair gel, hair mousse, shampoo, setting foam, hair tonic, hair spray or hair foam.
- 56. (Currently Amended) The use of a A composition comprising a polymer as defined in claim 39 as auxiliary in pharmacy preferably pharmacy, or as or auxiliary in (a) coating composition(s) for solid medicament forms, and or as or auxilliary in (a) coating composition(s) for the textile, paper, printing and or leather industry, and also or for agrochemistry.